

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Saturated wipe
Product name	: 70% Isopropyl Alcohol Wipes
Product group	: Trade product
Product code	: TR-IPA
Part number	: TR-IPA

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/preparation	: Cleaning Wipe
----------------------------------	-----------------

1.2.2. Uses advised against

No data available

1.3. Details of the supplier of the safety data sheet

Distributor:

Aviall Australia Pty. Ltd.
20-22 Lindaway Place
Tullamarine
Phone: 61-3-9339-3000
Fax: 61-3-9338-9773
Tel: +44 (0) 1189 637930
e-mail: melbourne@aviall.com

Manufacturer:

Celeste Industries Corporation
8221 Teal Drive, Suite 405
Easton, Maryland 21601 (USA)
Within USA: (410) 822-5775
International: 00 (1) 410-822-5775
e-mail: info@celestecorp.com

1.4. Emergency telephone number

Emergency contact number	: For Chemical Emergency, Spill, Leak, Fire, Exposure or Accident call CHEMTREC (24 hours) within the USA and CANADA: 1-800-424-9300 Outside USA and Canada (collect call accepted): 1-703-527-3883
--------------------------	--

SECTION 2: Hazards identification

2.1. Classification of the mixture

Classification according to CLP Regulation (EC) No 1272/2008


Flam. Liq. 3, H226
Eye Irrit. 2, H319
STOT SE 3, H336
Full text of H-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No data available

2.2. Label elements

Classification according to CLP Regulation (EC) No 1272/2008

Hazard Pictogram	: 
Signal Word	: Danger
Hazard Statement	: H226 – Flammable Liquid and vapor : H319 – Causes serious eye irritation : H336 – May cause drowsiness or dizziness
Precaution Statement	: P210 – Keep away from heat/spark/open flames/hot surfaces. No smoking. : P261 – Avoid breathing dust/fume/mist/vapor/spray. : P264 – Wash hands thoroughly after handling. : P271 – Use outdoors or in a well-ventilated area.

Safety Data Sheet

- : P280 – Wear protective gloves/protective clothing/eye protection.
- : P305+P351+P338 – If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- : P370+P378 – In case of fire, use CO₂, dry chemical, or foam for extinction.
- : P403+P235 – Store in a well-ventilated place. Keep container tightly closed.
- : P501 – Dispose of contents/container according to local regulations.

2.3. Other hazards

Mixture may cause skin irritation through prolonged direct contact.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	% Wt	Product Identifier	Classification according to CLP Regulation (EC) No 1272/2008
Propan-2-ol	70%	CAS No. 67-63-0 EC No. 200-661-7	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Water	30%	CAS No. 7732-18-5 EC No. 231-791-2	Not classified

Full text of phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : If respiratory irritation occurs upon inhalation, remove to fresh air. Seek medical attention if symptoms develop or persist.
- First-aid measures after skin contact : If splashed or spilled on skin, rinse with plenty of water.
- First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes.
- First-aid measures after ingestion : Seek medical attention immediately. If the person is fully conscious, make him/her drink water. Never give an unconscious person anything to drink. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after skin contact : Intended for hand use without causing irritation but if contacts other skin areas that may become irritated.
- Symptoms/injuries after eye contact : May cause irritation to the eyes.
- Symptoms/injuries after ingestion : Ingestion may cause immediate pain and severe burns of the mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Dry chemical, Carbon dioxide CO₂, Water spray. Alcohol resistant foam.
- Unsuitable extinguishing media : Do not use a water stream – May scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Flammable liquid" I-B
- Reactivity : Stable under normal conditions of use.

5.3. Advice for firefighters

- Protective equipment for firefighters : Wear proper protective equipment. Extra personal protection: complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Protective equipment : Chemical resistant gloves. Use splash goggles when eye contact due to splashing is possible.
- Emergency procedures : Avoid contact with skin and eyes.

6.1.2. For emergency responders

- Protective equipment : Chemical resistant gloves. Use splash goggles when eye contact due to splashing is possible.

Safety Data Sheet

Emergency procedures : Avoid contact with skin and eyes. Do not allow uncontrolled leakage of product into the environment.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Small quantities of liquid spill – use absorbent material and shovel into container for disposal. For large spills, dike with dirt, then remove by vacuum truck for disposal.

6.4. Reference to other sections

Refer to sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.
Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Provide adequate ventilation.
Storage condition(s) : Store in dry, cool, well-ventilated area.

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol 70% 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm 10% LEL TWA: 980 mg/m ³ TWA: 400 ppm STEL: 500 ppm STEL: 1225 mg/m ³

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

8.2. Exposure controls

Appropriate engineering controls : Ensure adequate ventilation.
Personal protective equipment : Chemical resistant gloves. Protective goggles.



Hand protection : Chemical resistant gloves.
Eye protection : Wear chemical splash goggle.
Skin and body protection : Protective apron. protective clothing. Wear suitable protective clothing.
Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Thin liquid
Colour : Colorless
Odour : Alcohol
Odour threshold : No data available
pH : 6 - 8
Relative evaporation rate (butylacetate=1) : No data available
Melting point : No data available
Freezing point : 0 °C
Boiling point : No data available
Flash point : 22°C, 72°F
Self ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available

Safety Data Sheet

Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.75 - .85
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive as none of the components is classified as explosive or oxidizing.
Oxidising properties	: None of the components is classified for oxidizing properties.
Explosive limits	: No data available

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

Carbon dioxide

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes eye irritation.
Respiratory or skin sensitisation	: May cause drowsiness and dizziness. May cause irritation of respiratory tract
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.3. Bioaccumulative potential

Readily biodegradable

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Dispose of contents/container to comply with applicable local, national and international regulations.

Waste disposal recommendations : Comply with local regulations for disposal.

SECTION 14: Transport information

DOT
Proper Shipping Name CONSUMER COMMODITY
Hazard Class ORM-D
Description CONSUMER COMMODITY,ORM-D
Emergency Response Guide Number 129

TDG
UN-No UN1219
Proper Shipping Name ISOPROPANOL
Hazard Class 3
Packing Group II
Description UN1219,ISOPROPANOL,3,PG II

MEX
UN-No UN1219
Proper Shipping Name ISOPROPANOL
Hazard Class 3
Packing Group II
Description UN1219 ISOPROPANOL,3,II

ICAO
UN-No UN1219
Proper Shipping Name ISOPROPYL ALCOHOL
Hazard Class 3
Packing Group II
Description UN1219,ISOPROPYL ALCOHOL,3,PG II

IATA
UN-No UN1219
Proper Shipping Name ISOPROPANOL
Hazard Class 3
Packing Group II
Description UN1219,ISOPROPYL ALCOHOL,3,PG II

IMDG/IMO
UN-No UN1219
Proper Shipping Name ISOPROPANOL
Hazard Class 3
Packing Group II
EmS No. F-E, S-D
Description UN1219, ISOPROPANOL,3,PG II

RID
UN-No UN1219
Proper Shipping Name ISOPROPANOL
Hazard Class 3
Packing Group II
Classification Code F1
Description UN1219 ISOPROPANOL,3,II

ADR
UN-No UN1219
Proper Shipping Name ISOPROPANOL
Hazard Class 3
Packing Group II
Classification Code F1
Description UN1219 ISOPROPANOL,3,II

ADN
UN-No UN1219
Proper Shipping Name ISOPROPANOL
Hazard Class 3
Packing Group II
Classification Code F1
Special Provisions 601
Description UN1219 ISOPROPANOL,3,II
Limited Quantity 3
Ventilation LQ4

Safety Data Sheet

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH candidate substance

Other regulations, restrictions and prohibition regulations : Conforms to Regulation (EC) No. 1907/2006, Annex II (REACH), as amended by (EU) No. 453/2010.

15.1.2. National regulations

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Isopropyl Alcohol 70%	67-63-0	50-100	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any ingredients regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any ingredients regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

U.S. State Regulations

California Proposition 65 - NONE

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Isopropyl Alcohol 70% 67-63-0	X	X	X	X	

15.2. Chemical safety assessment

CSA has not been established

SECTION 16: Other information

Sources of Key data : SDS, ECHA

Abbreviations and acronyms : ACGIH (American Conference of Government Industrial Hygienists). ASTM - American Society for Testing and Materials . CAS - Chemical Abstracts Service. CLP - Classification, Labelling and Packaging. CSR - Chemical Safety Report. EEC - European Economic Community. EC - European Community. GHS - Globally Harmonised System. HMIS - Hazardous Materials Identification System. MSDS - Material Safety Data Sheet. OSHA - Occupational Safety and Health Administration. Overland transport (ADR). PEL- Permissible Exposure Level. REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals. Relat - Relative. SDS - Safety Data Sheet . STEL- Short-Term Exposure Limit . TLV- Threshold Limit Value. TWA- Time Weighted Average.

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Celeste Industries Corporation assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such vendors or users assume all risks associated with the use of the material.