

70% Isopropyl Alcohol Wipes

Safety Data Sheet

According to Regulation (EC) No. 1907/2006, Anex II (REACH), as amended by (EU) No. 453/2010 MS Code: MSTR 277 Revision: 0 Rev Date: 07/29/2020 Supersedes: new issue

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Saturated wipe

Product name : 70% Isopropyl Alcohol Wipes

Product group : Trade product
Product code : TR-IPA
Part number : TR-IPA

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/preparation : Cleaning Wipe

1.2.2. Uses advised against

No data available

1.3. Details of the supplier of the safety data sheet

Manufacturer:

Celeste Industries Corporation 8221 Teal Drive, Suite 405 Easton, Maryland 21601 (USA) Within USA: (410) 822-5775 International: 00 (1) 410-822-5775 e-mail: info@celestecorp.com

1.4. Emergency telephone number

Emergency contact number : For Chemical Emergency, Spill, Leak, Fire, Exposure or Accident call CHEMTREC (24 hours)

within the USA and CANADA: 1-800-424-9300

Outside USA and Canada (collect call accepted): 1-703-527-3883

SECTION 2: Hazards identification

2.1. Classification of the mixture

Classification according to CLP Regulation (EC) No 1272/2008

Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of H-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No data available

2.2. Label elements

Classification according to CLP Regulation (EC) No 1272/2008

Hazard Pictogram :





Signal Word : Danger

Hazard Statement : H226 – Flammable Liquid and vapor

H319 – Causes serious eye irritation

: H336 – May cause drowsiness or dizziness

Precaution Statement : P210 - Keep away from heat/spark/open flames/hot surfaces. No smoking.

P261 – Avoid breathing dust/fume/mist/vapor/spray.
 P264 – Wash hands thoroughly after handling.
 P271 – Use outdoors or in a well-ventilated area.

P280 – Wear protective gloves/protective clothing/eye protection.

EN (English) 1/6

- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P370+P378 In case of fire, use CO2, dry chemical, or foam for extinction.
- P403+P235 Store in a well-ventilated place. Keep container tightly closed.
- P501 Dispose of contents/container according to local regulations

Other hazards

Mixture may cause skin irritation through prolonged direct contact.

SECTION 3: Composition/information on ingredients

Substances

Not applicable

Mixtures 3.2.

Name	% Wt	Product Identifier	Classification according to CLP Regulation (EC) No 1272/2008		
Propan-2-ol	70% CAS No. 67-63-0		Flam. Liq. 2, H225		
		EC No. 200-661-7	Eye Irrit. 2, H319		
			STOT SE 3, H336		
Water	30%	CAS No. 7732-18-5 EC No. 231-791-2	Not classified		

Full text of phrases: see section 16.

SECTION 4: First aid measures

Description of first aid measures

First-aid measures after inhalation : If respiratory irritation occurs upon inhalation, remove to fresh air. Seek medical attention if

symptoms develop or persist.

First-aid measures after skin contact : If splashed or spilled on skin, rinse with plenty of water.

First-aid measures after eye contact Immediately flush eyes thoroughly with water for at least 15 minutes.

Seek medical attention immediately. If the person is fully conscious, make him/her drink water. First-aid measures after ingestion

Never give an unconscious person anything to drink. Do not induce vomiting.

Most important symptoms and effects, both acute and delayed

: Intended for hand use without causing irritation but if contacts other skin areas that may become Symptoms/injuries after skin contact

irritated.

Symptoms/injuries after eye contact May cause irritation to the eyes.

Symptoms/injuries after ingestion Ingestion may cause immediate pain and severe burns of the mucous membranes.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media Use extinguishing media appropriate for surrounding fire. Dry chemical, Carbon dioxide CO2,

Water spray. Alchol resistant foam.

Unsuitable extinguishing media : Do not use a water stream - May scatter and spread fire.

Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid" I-B

: Stable under normal conditions of use. Reactivity

Advice for firefighters

Protective equipment for firefighters : Wear proper protective equipment. Extra personal protection: complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Chemical resistant gloves. Use splash goggles when eye contact due to splashing is possible.

Emergency procedures : Avoid contact with skin and eyes.

6.1.2. For emergency responders

Emergency procedures

Protective equipment : Chemical resistant gloves. Use splash goggles when eye contact due to splashing is possible.

Avoid contact with skin and eyes. Do not allow uncontrolled leakage of product into the

environment.

EN (English) 2/6

6.2. **Environmental precautions**

Avoid release to the environment. Prevent entry to sewers and public waters.

Methods and material for containment and cleaning up

Methods for cleaning up

: Small quantities of liquid spill - use absorbent material and shovel into container for disposal. For

large spills, dike with dirt, then remove by vacuum truck for disposal.

Reference to other sections

Refer to sections 8 and 13.

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.

: Handle in accordance with good industrial hygiene and safety practice. Hygiene measures

Conditions for safe storage, including any incompatibilities

Technical measures : Provide adequate ventilation.

Storage condition(s) : Store in dry, cool, well-ventilated area.

Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

Control parameters

Chemical Name ACGIH TLV Isopropyl Alcohol 70% STEL: 400 ppm 67-63-0 TWA: 200 ppm

OSHA PEL TWA: 400 ppm TWA: 980 mg/m³ (vacated)

TWA: 400 ppm (vacated) TWA: 980 mg/m³ (vacated) STEL: 500

ppm (vacated) STEL: 1225 mg/m³ **NIOSH IDLH**

IDLH: 2000 ppm 10% LEL TWA: 980 mg/m³ TWA: 400 ppm STEL: 500 ppm STEL: 1225 mg/m³

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Exposure controls

Appropriate engineering controls : Ensure adequate ventilation.

Personal protective equipment Chemical resistant gloves. Protective goggles.





Hand protection : Chemical resistant gloves. Eye protection Wear chemical splash goggle.

Skin and body protection Protective apron. protective clothing. Wear suitable protective clothing. Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Liquid Appearance Thin liquid Colour Colorless Odour Alcohol

Odour threshold No data available

6 - 8

No data available Relative evaporation rate (butylacetate=1) No data available Melting point

Freezing point 0 °C

Boiling point : No data available : 22°C, 72°F Flash point Self ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) No data available

: No data available Vapour pressure Relative vapour density at 20 °C : No data available

> EN (English) 3/6

Safety Data Sheet

Relative density : 0.75 - .85

Solubility No data available Log Pow No data available Log Kow : No data available : No data available Viscosity, kinematic Viscosity, dynamic No data available

: Not explosive as none of the components is classified as explosive or oxidizing. Explosive properties

Oxidising properties : None of the components is classified for oxidizing properties.

Explosive limits : No data available

Other information 9.2.

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use.

Chemical stability

Stable under normal conditions of use.

Possibility of hazardous reactions

None known.

10.4. **Conditions to avoid**

No data available

Incompatible materials

No data available

Hazardous decomposition products

Carbon dioxide

SECTION 11: Toxicological information

Information on toxicological effects

Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation Causes eye irritation.

Respiratory or skin sensitisation May cause drowsiness and dizziness. May cause irritation of respiratory tract

Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified

exposure)

: Not classified Aspiration hazard

SECTION 12: Ecological information

12.1. **Toxicity**

No data available

12.3. **Bioaccumulative potential**

Readily biodegradable

12.4. **Mobility in soil**

No data available

Results of PBT and vPvB assessment 12.5.

No data available

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

Waste treatment methods

: Dispose of contents/container to comply with applicable local, national and international Regional legislation (waste)

regulations.

Waste disposal recommendations : Comply with local regulations for disposal.

> EN (English) 4/6

SECTION 14: Transport information

Proper Shipping Name CONSUMER COMMODITY

Hazard Class ORM-D

Description CONSUMER COMMODITY, ORM-D

Emergency Response Guide Number 129

TDG

UN-No UN1219 **Proper Shipping Name ISOPROPANOL**

Hazard Class 3 **Packing Group**

Description UN1219, ISOPROPANOL, 3, PG II

MEX

UN-No UN1219 **Proper Shipping Name ISOPROPANOL**

Hazard Class 3 **Packing Group** Ш

Description UN1219 ISOPROPANOL,3,II

ICAO

UN-No UN1219

Proper Shipping Name ISOPROPYL ALCOHOL

Hazard Class

Packing Group Ш

Description UN1219,ISOPROPYL ALCOHOL,3,PG II

IATA

UN-No UN1219 **Proper Shipping Name** ISOPROPANOL

Hazard Class **Packing Group**

Description UN1219,ISOPROPYL ALCOHOL,3,PG II

IMDG/IMO

UN-No UN1219 **Proper Shipping Name ISOPROPANOL**

Hazard Class 3 Packing Group Ш EmS No. F-E, S-D

Description UN1219, ISOPROPANOL, 3, PG II

RID

UN-No UN1219 **Proper Shipping Name ISOPROPANOL**

Hazard Class 3 **Packing Group** Ш **Classification Code**

Description UN1219 ISOPROPANOL,3,II

ADR

UN-No UN1219 **Proper Shipping Name ISOPROPANOL**

Hazard Class 3 **Packing Group** Ш Classification Code F1

Description UN1219 ISOPROPANOL,3,II

ADN

UN-No UN1219 **Proper Shipping Name ISOPROPANOL**

Hazard Class 3 **Packing Group** Ш Classification Code F1 **Special Provisions** 601

Description UN1219 ISOPROPANOL,3,II

Limited Quantity Ventilation LQ4

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

Contains no REACH candidate substance

Other regulations, restrictions and prohibition

regulations

: Conforms to Regulation (EC) No. 1907/2006, Anex II (REACH), as amended by (EU) No. 453/2010.

5/6 EN (English)

15.1.2. National regulations

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Isopropyl Alcohol 70%	67-63-0	50-100	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any ingredients regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any ingredients regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

U.S. State Regulations

California Proposition 65 - NONE

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Isopropyl	X	X	X	X	
Alcohol 70%					
67-63-0					

15.2. Chemical safety assessment

CSA has not been established

SECTION 16: Other information

Sources of Key data

: SDS, ECHA

Abbreviations and acronyms

ACGIH (American Conference of Governement Industrial Hygienists). ASTM - American Society for Testing and Materials . CAS - Chemical Abstracts Service. CLP - Classification, Labelling and Packaging. CSR - Chemical Safety Report. EEC - European Economic Community. EC - European Community. GHS - Globally Harmonised System. HMIS - Hazardous Materials Identification System. MSDS - Material Safety Data Sheet. OSHA - Occupational Safety and Health Administration. Overland transport (ADR). PEL- Permissible Exposure Level. REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals. Relat - Relative. SDS - Safety Data Sheet . STEL- Short-Term Exposure Limit . TLV- Threshold Limit Value. TWA- Time Weighted Average.

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Celeste Industries Corporation assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such vendors or users assume all risks associated with the use of the material.

EN (English) 6/6