SAFETY DATA SHEET



1. Identification

Product identifier NG Interior Cleaner Complete Concentrate

Other means of identification

Part Number CC-NG85000 series, (Formula: LB-85000C/4)

Recommended use Cleaning agent.
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Supplier

Company Name Celeste Industries Corporation

Address 8007 Industrial Park Rd

Easton, Maryland 21601 (USA)

Telephone +1-410-822-5775

Email info@celestecorp.com

In Case of Emergency CHEMTREC (24 hours) within USA and CANADA: 1-800-424-9300

Outside USA and Canada (collect call accepted): 1-703-527-3883

2. Hazard(s) identification

Physical hazards Not classified.

Health hazardsSkin corrosion/irritationCategory 1

Serious eye damage/eye irritation Category 1

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes severe skin burns and eye damage.

Precautionary statement

Prevention Do not breathe mist/vapors. Wash thoroughly after handling. Wear protective gloves/protective

clothing/eye protection/face protection.

Response If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison

center/doctor. Wash contaminated clothing before reuse.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information 13.25% of the mixture consists of component(s) of unknown acute dermal toxicity. 14.8% of the

mixture consists of component(s) of unknown acute hazards to the aquatic environment. 18.25%

of the mixture consists of component(s) of unknown long-term hazards to the aquatic

environment.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|------------------------------|--------------------------|------------|-------|
| Alcohols, C9-11, Ethoxylated | | 68439-46-3 | 3 - 7 |
| 1 -phenoxy-2-propanol | | 770-35-4 | 1 - 5 |

CC-NG85000 series, (Formula: LB-85000C/4) Version #: 01 Issue date: 12-02-2022

| Chemical name | Common name and synonyms | CAS number | % |
|--|--------------------------|------------|---------|
| Benzenesulfonic Acid, C10-16-Alkyl Derivs | | 68584-22-5 | 1 - 5 |
| L(+)-lactic acid | | 79-33-4 | 1 - 5 |
| Octan-1-ol, ethoxylated | | 27252-75-1 | 1 - 5 |
| Sodium octane-1-sulphonate monohydrate | | 5324-84-5 | 1 - 5 |
| 1-Octyl-2-pyrrolidone | | 2687-94-7 | 0.1 - 1 |
| Other components below reportable levels | | | 76.24 |

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or Skin contact

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and

Ingestion

delayed

Indication of immediate medical attention and special treatment needed

General information

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions Specific methods

General fire hazards

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk, Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see

Section 10 of the SDS).

8. Exposure controls/personal protection

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency

shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Clear.
Physical state Liquid.
Form Liquid.
Color Light yellow.
Odor None.

Odor threshold Not available.

pH 2-3

Melting point/freezing point 32 °F (0 °C) estimated Initial boiling point and boiling 212 °F (100 °C) estimated

range

Flash point Non-flammable.

Evaporation rate Not available.

Flammability (solid, gas) Non-flammable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Non-flammable.

Explosive limit - upper (%) Non-flammable.

Vapor pressureProperty has not been measured.Vapor densityProperty has not been measured.

Relative density 0.95 - 1.05

Solubility(ies)

Solubility (water) Soluble.

Partition coefficient (n-octanol/water)

Not applicable.

Auto-ignition temperature Not applicable.

Decomposition temperature Not applicable.

Viscosity Not available.

Other information

Explosive properties Not explosive.

Kinematic viscosity Property has not been measured.

Oxidizing properties Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials

Hazardous decomposition products

Carbon oxides.

Strong oxidizing agents.

.. _ .

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system.

Skin contact
Causes severe skin burns.

Eye contact
Causes serious eye damage.

Ingestion
Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Product Species Test Results

NG Interior Cleaner Complete Concentrate

Acute Dermal

ATEmix 26000 mg/kg

Oral

ATEmix 4800 mg/kg

Components Species Test Results

1 -phenoxy-2-propanol (CAS 770-35-4)

Acute Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours

Inhalation

LC50 - > 5400 mg/m3, 4 Hours

Oral

LD50 Rat > 2000 mg/kg

1-Octyl-2-pyrrolidone (CAS 2687-94-7)

Acute Oral

Orai

LD50 Rat 2.1 g/kg

Alcohols, C9-11, Ethoxylated (CAS 68439-46-3)

Acute Dermal

LD50 Rabbit 2000 mg/kg, 24 Hours

Inhalation

Vapor

LC50 Rat > 100 mg/m3, 6 Hours

Benzenesulfonic Acid, C10-16-Alkyl Derivs (CAS 68584-22-5)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours

Oral

LD50 Rat > 2000 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity Harmful to aquatic life.

Components Species Test Results

Alcohols, C9-11, Ethoxylated (CAS 68439-46-3)

Aquatic

Acute

Crustacea EC50 Water flea (Daphnia magna) >= 2.9 - <= 8.5 mg/l, 48 hours
Fish LC50 Fathead minnow (Pimephales promelas) >= 6 - <= 12 mg/l, 96 hours

Benzenesulfonic Acid, C10-16-Alkyl Derivs (CAS 68584-22-5)

Aquatic

Acute

Crustacea EC50 Water flea (Ceriodaphnia dubia) >= 4.66 - <= 6.83 mg/l, 48 hours

L(+)-lactic acid (CAS 79-33-4)

Aquatic

Acute

Crustacea EC50 Water flea (Daphnia magna) >= 180 - <= 320 mg/l, 48 hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Mobility in soilNot established.Other adverse effectsNone known.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the

material under controlled conditions in an approved incinerator. Dispose of contents/container in

accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN number UN1760

UN proper shipping name Corrosive liquids, n.o.s. (Sodium octane-1-sulphonate monohydrate, 1-octyl-2-pyrrolidone)

Transport hazard class(es)

Class 8
Subsidiary risk Label(s) 8
Packing group ||

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions B2, IB2, T11, TP2, TP27

Packaging exceptions 154
Packaging non bulk 202
Packaging bulk 242

IATA

UN number UN1760

UN proper shipping name Transport hazard class(es) Corrosive liquid, n.o.s. (Sodium octane-1-sulphonate monohydrate, 1-octyl-2-pyrrolidone)

Class 8
Subsidiary risk Packing group II
Environmental hazards No.
ERG Code 8L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN1760

UN proper shipping name Transport hazard class(es) CORROSIVE LIQUID, N.O.S. (Sodium octane-1-sulphonate monohydrate, 1-octyl-2-pyrrolidone)

Class 8
Subsidiary risk Packing group ||
Environmental hazards

Marine pollutant No.

EmS F-A, S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. **Transport in bulk according to** This product is not intended to be transported in bulk.

Annex II of MARPOL 73/78 and

the IBC Code

DOT





15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

All components of the mixture on the TSCA 8(b) inventory are designated

"active".

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard

Skin corrosion or irritation

categories

Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Contains component(s) regulated under the Safe Drinking Water Act.

US state regulations

California Proposition 65



WARNING: This product can expose you to chemicals including Ethylene oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go

SDS US

7/8

to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Acetaldehyde (CAS 75-07-0) Listed: April 1, 1988 Ethylene oxide (CAS 75-21-8) Listed: July 1, 1987

California Proposition 65 - CRT: Listed date/Developmental toxin

Ethylene glycol (CAS 107-21-1) Listed: June 19, 2015 Ethylene oxide (CAS 75-21-8) Listed: August 7, 2009

California Proposition 65 - CRT: Listed date/Female reproductive toxin

Ethylene oxide (CAS 75-21-8) Listed: February 27, 1987

California Proposition 65 - CRT: Listed date/Male reproductive toxin

Ethylene oxide (CAS 75-21-8) Listed: August 7, 2009

International Inventories

Country(s) or region Inventory name On inventory (yes/no)* Australia Australian Inventory of Industrial Chemicals (AICIS) Yes

Country(s) or regionInventory nameOn inventory (yes/no)*CanadaDomestic Substances List (DSL)YesCanadaNon-Domestic Substances List (NDSL)NoChinaInventory of Existing Chemical Substances in China (IECSC)YesEuropeEuropean Inventory of Existing Commercial ChemicalYes

Substances (EINECS)

EuropeEuropean List of Notified Chemical Substances (ELINCS)NoJapanInventory of Existing and New Chemical Substances (ENCS)YesKoreaExisting Chemicals List (ECL)NoNew ZealandNew Zealand InventoryYesPhilippinesPhilippine Inventory of Chemicals and Chemical SubstancesYes

(PICCS)

TaiwanTaiwan Chemical Substance Inventory (TCSI)YesUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

16. Other information, including date of preparation or last revision

Issue date 12-02-2022

Version # 01

References ECHA registered substances database

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Celeste Industries cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or

expense due to improper use.

Revision information Product and Company Identification: Product Codes

Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties

Transport Information: Proper Shipping Name/Packing Group

Regulatory Information: Other

GHS: Classification

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).