

Sani-Pak[®] Clear Liquid

Safety Data Sheet

According to Regulation (EC) No. 1907/2006, Anex II (REACH), as amended by (EU) No. 453/2010MS Code : MSTR199Revision : 1Rev Date : 11/09/2015Supersedes : 05/20/2015

SECTION 1: Identification of the sub	stance/mixture and of the company/undertaking
1.1. Product identifier	stance/mixture and or the company/undertaking
Product form	: Mixture, liquid.
Product name.	: Sani-Pak Clear liquid
Product group	: Trade product
Product code	: LB-97000M/C
Part number	: SP-97000/6Z/C
1.2. Relevant identified uses of the subst	tance or mixture and uses advised against
1.2.1. Relevant identified uses	
Use of the substance/preparation	: Toilet deodorant concentrate
4.9.9 Uses advised ensited	
1.2.2. Uses advised against No data available	
1.3. Details of the supplier of the safety of	lata sheet
Celeste Industries Corporation	
8221 Teal Drive, suite 405	
Easton, Maryland 21601 (USA)	
Within USA: (410) 822-5775	
International: 00 (1) 410-822-5775	
e-mail: info@celestecorp.com	
1.4. Emergency telephone number	
Emergency contact number	: For Chemical Emergency, Spill, Leak, Fire, Exposure or Accident call CHEMTREC (24 hours) within USA and CANADA: 1-800-424-9300
	Outside USA and Canada (collect call accepted): 1-703-527-3883
SECTION 2: Hazards identification	
2.1. Classification of the substance or m	ixture
Classification according to Regulation (EC) No	
Skin Irrit. 2 H315 Eye Dam. 1 H318 Aquatic Acute 1 H400	
Full text of H-phrases: see section 16.	
Adverse physicochemical, human health and	environmental effects
No additional information available	
2.2. Label elements	
Classification according to CLP Regulation (E	C) No 1272/2008
Symbol and Nature of Warning / Danger	Irritant Aquatic
Signal Word	Toxicity : Warning
Hazard Statement	: H315 – Causes skin irritation.
	: H318 – Causes skin initiation. : H318 – Causes serious eye damage damage.
	: H400 – Very toxic to aquatic life.
Precaution Statement	: P280 – Wear protective gloves/protective clothing/eye protection/face protection.
	: P302 + P350 – IF ON SKIN: Gently wash with plenty of soap and water
	: P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
	EN (English) 1/5

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH, annex XIII. This substance/mixture does not meet the vPvB criteria of REACH, annex XIII.

SECTION 3: Composition/information on ingredients

Substances 3.1.

Not applicable

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Bromo-2-nitropropane-1,3-diol	(CAS No.) 52-51-7 (EC no) 200-143-0 (EC index no) 603-085-00-8	6	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400

Full text of R-, H- and EUH-phrases: see section 16.

SECTI	ON 4: First aid measures		
4.1.	Description of first aid measures		
First-aid	measures after inhalation	:	Remove victim to fresh air. If necessary seek medical advice.
First-aid	measures after skin contact	:	Remove all contaminated clothing and footwear. Rinse and then wash skin with water and soap. If skin irritation persists, take medical advice.
First-aid	measures after eye contact	:	Immediately flush eyes thoroughly with water for at least 15 minutes. Obtain medical attention if irritation persists.
First-aid	measures after ingestion	:	Seek medical attention immediately. If the person is fully conscious, make him/her drink water. Never give an unconscious person anything to drink.
4.2.	Most important symptoms and effect	ts,	both acute and delayed
Symptor	ns/injuries after eye contact	:	Irritating to eyes.
Symptor	ns/injuries after ingestion	:	May be harmful if swallowed.
4.3.	Indication of any immediate medical	att	ention and special treatment needed
Treat sy	mptomatically.		
SECTI	ON 5: Firefighting measures		
5.1.	Extinguishing media		
Suitable	extinguishing media:	:	Carbon dioxide (CO2), dry chemical powder, foam, water fog.
5.2.	Special hazards arising from the sub	osta	ance or mixture
Fire haza	ard	:	Non combustible.
5.3.	Advice for firefighters		
Protectiv	e equipment for firefighters	:	Extra personal protection: complete protective clothing including self-contained breathing apparatus.
SECTI	ON 6: Accidental release meas	ur	es
6.1.	Personal precautions, protective equ	lip	ment and emergency procedures
6.1.1.	For non-emergency personnel		
Protectiv	e equipment	:	Gloves. Use splash goggles when eye contact due to splashing is possible.
Emerger	ncy procedures	:	Avoid contact with skin and eyes. Do not allow the product to be released into the environment.
6.1.2.	For emergency responders		
Protectiv	re equipment	:	Gloves. Use splash goggles when eye contact due to splashing is possible.
Emerger	ncy procedures	:	Avoid contact with skin and eyes. Do not allow uncontrolled leakage of product into the environment.
6.2.	Environmental precautions		
Do not d	ischarge into drains or the environment. I	Do	not allow uncontrolled leakage of product into the environment.
6.3.	Methods and material for containment	nta	and cleaning up
For cont	ainment	:	Clean spills promptly. contain the discharged material.
Methods	for cleaning up	:	Collect in closed containers for disposal. Flush residue with large amounts of water. Consult the local waste disposal expert about waste disposal.

according to Regulation (EC) No. 453/2010

6.4. Reference to other sections

Refer to sections 8 and 13.

CECTION 7: Llondling and ato	
SECTION 7: Handling and sto	5
7.1. Precautions for safe handli	ng
Precautions for safe handling	: Avoid contact with skin and eyes.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice.
7.2. Conditions for safe storage	, including any incompatibilities
Technical measures:	: Provide adequate ventilation.
Storage condition(s)	: Store in dry, cool, well-ventilated area.
Incompatible materials	: Strong oxidizing compounds
7.3. Specific end use(s)	

No data available

8.2.

Log Pow

Log Kow

Self ignition temperature

Viscosity, kinematic

Viscosity, dynamic Explosive properties

Oxidising properties

Decomposition temperature

SECTION 8: Exposure	controls/personal	protection

8.1. Control parameters

Exposure controls

Appropriate engineering controls	: Ensure adequate ventilation.
Personal protective equipment	: Chemical resistant gloves. Protective goggles.
Hand protection	: In case of repeated or prolonged contact wear gloves.
Eye protection	: Wear chemical splash goggle if risk of splash.
Skin and body protection	: Protective apron. protective clothing. Wear suitable protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.
SECTION 9: Physical and chemica	I properties
9.1. Information on basic physical and	I chemical properties
Physical state	: Liquid
Appearance	: Liquid
Colour	: Clear concentrate
Odour	: Pleasant
Odour threshold	: No data available
pH	: 4-6
Melting point	: ~0 °C (Will freeze just below 0°C)
Solidification point	: No data available
Boiling point	: No data available
Flash point	: > 93 °C
Relative evaporation rate (butylacetate=1)	
	: No data available
Flammability (solid, gas)	No data availableNo data available
Flammability (solid, gas) Explosive limits	
3 () 3 (: No data available
Explosive limits	No data availableNot applicable
Explosive limits Vapour pressure	 No data available Not applicable No data available

: Not explosive

: Not oxidizing

No data availableNo data available

: Not applicable

: No data available

No data availableNo data available

Safety Data Sheet

according to Regulation (EC) No. 453/2010

9.2.	Other information
No data a	available
SECTIO	DN 10: Stability and reactivity
10.1.	Reactivity
Stable ur	nder normal conditions of use.
10.2.	Chemical stability
Stable ur	nder normal conditions of use.
10.3.	Possibility of hazardous reactions
None kno	own.
10.4.	Conditions to avoid
No data a	available
10.5.	Incompatible materials
Strong or	vidizing agents.
10.6.	Hazardous decomposition products
None kno	own.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Not classified Acute toxicity Bronopol (INN) (52-51-7) LD50 oral rat 180 - 400 mg/kg LD50 dermal rat 1600 mg/kg LC50 inhalation rat (mg/l) > 5000 mg/l/4h Irritation : Irritating to eyes. pH: 4 - 6 Corrosivity : Not classified pH: 4 - 6 Sensitisation : Not classified Repeated dose toxicity : Not classified Carcinogenicity : Not classified Mutagenicity : Not classified : Not classified Reproductive toxicity

SECTION 12: Ecological information

12.1. Toxicity Bronopol (INN) (52-51-7) LC50 fishes 410 mg/l EC50 Daphnia 1.6 mg/l 48 hours EC50 other aquatic organisms 0.4 - 0.9 mg/l 5, 15, 30 minutes 0.65 mg/l 96 hours ErC50 (algae) 12.2. Persistence and degradability No additional information available 12.3. **Bioaccumulative potential** No additional information available Mobility in soil 12.4. No additional information available 12.5. Results of PBT and vPvB assessment Sani-Pak Liquid This substance/mixture does not meet the PBT criteria of REACH, annex XIII. This substance/mixture does not meet the vPvB criteria of REACH, annex XIII.

12.6. Other adverse effects

No additional information available

SECTION 12: Dispessed consideration	
SECTION 13: Disposal consideratio	lis
13.1. Waste treatment methods	
Regional legislation (waste)	: Dispose of contents/container to comply with applicable local, national and international regulations.
Waste disposal recommendations	: Comply with local regulations for disposal.
SECTION 14: Transport information	
Not a dangerous good in sense of transport reg	ulations
SECTION 15: Regulatory informatio	n
15.1. Safety, health and environmental re	egulations/legislation specific for the substance or mixture
15.1.1. EU-Regulations	
Contains no REACH candidate substance	
Other regulations, restrictions and prohibition regulations	: Conforms to Regulation (EC) No. 1907/2006, Anex II (REACH), as amended by (EU) No. 453/2010.
15.1.2. National regulations	
No data available	
15.2. Chemical safety assessment	
CSA has not been established	
SECTION 16: Other information	
Sources of Key data	: SDS, ECHA.
Abbreviations and coronyme	ACCILL (American Conference of Covernment Industrial Liveignists) ACTM American Cos

Sources of Key data	. 5D5, ECHA.
Abbreviations and acronyms	: ACGIH (American Conference of Governement Industrial Hygienists). ASTM - American Society for Testing and Materials . CAS - Chemical Abstracts Service. CLP - Classification, Labelling and Packaging. CSR - Chemical Safety Report. EEC - European Economic Community. EC - European Community. GHS - Globally Harmonised System. HMIS - Hazardous Materials Identification System. MSDS - Material Safety Data Sheet. OSHA - Occupational Safety and Health Administration. Overland transport (ADR). PEL- Permissible Exposure Level. REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals. Relat - Relative. SDS - Safety Data Sheet . STEL- Short-Term Exposure Limit . TLV- Threshold Limit Value. TWA- Time Weighted Average.

Full text of R-, H- and EUH-phrases::

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Flam. Liq. 3	flammable liquids Category 3
Skin Corr. 1B	skin corrosion/irritation Category 1B
Skin Irrit. 2	skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitisation Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Celeste Industries Corporation assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such vendors or users assume all risks associated with the use of the material.